

acc. to OSHA HCS (29 CFR 1910.1200)

## **Trade Name: Black Silicon Carbide**

IDENTIFICATION

**Product Identifier:** Black Silicon Carbide, various grades

Synonyms: Black SiC

**CAS No. / EC No.:** 409-21-2 / 206-991-8

Recommended Use: Product is intended for use in ceramics or refractories, or as an abrasive.

Use(s) Advised Against: Contact manufacturer if using product outside of recommended use cases.

Manufacturer/Supplier: GNPGraystar GNPGraystar

 37 John Glenn Dr.
 9 Simmonsville Road

 Amherst, NY 14228
 Bluffton, SC 29910

 Ph: 716-759-6600
 Ph: 843-815-5600

Emergency Telephone No.: CHEMTREC (US): 1-800-424-9300

All other regions contact your local poison control center or local chemical authority.

### 2 HAZARD(S) IDENTIFICATION

#### Classification of the substance or mixture:

Classification has been determined in accordance with United States OSHA HCS (29 CFR 1910.1200) requirements and any corresponding Globally Harmonized System (GHS) classification parameters.

### **Additional Information:**

#### **LABEL ELEMENTS**

**GHS Label Elements** 

Carcinogenicity Category 1A

Pictograms:



Signal Word: Danger

Hazard-determining components of labeling: See Section 3 for more information.

**Hazard Statements:** H350 May cause cancer via inhalation. **Precautionary Statements:** P102 Keep out of reach of children.

P203 Obtain, read and follow all safety instructions before use.
P280 Wear face protection when inhalation of dust is possible.

P318 If exposed or concerned, get medical advice.

P405 Store locked up.

Dispose of contents in accordance with all local/regional/

P501 national/international regulations. Do not burn or pulverize

for disposal.

#### HMIS Ratings (scale 0-4):

111116	
Health:	*1
Fire:	0
Reactivity:	0
PPE:	t

### NFPA Ratings (scale 0-4):

Health:	1
Fire:	0
Reactivity:	0
Specific Hazard:	N/A

#### Legend

4 - Extreme
3 - Serious
2 - Moderate
1 - Slight
0 - Minimal

Release: April 05, 2023 Page 1 of 7



acc. to OSHA HCS (29 CFR 1910.1200)

## **Trade Name: Black Silicon Carbide**

\* Indicates a long-term health hazard from repeated or prolonged exposures

Long-Term Health Hazard: Quartz (SiO<sub>2</sub>), CAS# 14808-60-7

**Additional Information:** Product form is granules. Silicon carbide whiskers and granules are both listed under the CAS number 409-21-2; silicon carbide *whiskers* are considered to be a Group 2A carcinogen by IARC, whereas silicon carbide *granules* are not. Similarly, ACGIH parameters distinguish between fibrous silicon carbide (including whiskers) and nonfibrous silicon carbide, with different TLV-TWA values for respective inhalable and respirable particulate levels. All information contained within this SDS is based on the product's granular state.

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Characterization: Substance
Physical form: Granules

Identifier	Chemical Name/Description	GHS Hazard(s)	Wt. %
CAS No.: 409-21-2	Silicon carbide, SiC	Not classified as	> 97
EC No.: 206-991-8	Silicon carbide, sic	hazardous.	7 31
CAS No.: 14808-60-7	Silicon dioxide, crystalline silica	Carcinogenicity, Cat. 1A	< 1
EC No.: 238-878-4	(quartz form), SiO <sub>2</sub>	caremogementy, eat. 170	` -

Traces of other mineral components may be present as contaminants. Trace mineral contaminants may be hazardous on their own but present in concentrations below reporting and hazard classification levels. Classified hazard categories for this product are based on repeated and/or long-term exposures to respirable dusts of the product.

	respirable dusts of the pro-	uuct.	
4	FIRST AID MEASURES		
	<b>General Information:</b>	No special measures required.	
	After inhalation:	Supply fresh air; get medical advice if symptoms occur. Provide oxygen treatment if affected person has difficulty breathing.	
	After contact with eyes:	Not considered to be an eye irritant. Irrigate with large quantities of water for at least 10 minutes. Remove contact lenses if present and easy to do so. Seek medical help if persistent irritation or tissue damage occur.	
	After skin contact:	Wash with plenty of soap and water. Skin irritation or sensitization is not anticipated to be a common symptom of exposure. If skin symptoms occur and persist, get medical help.	
	After swallowing:	Rinse mouth with water and seek medical advice. Material is not intended for ingestion: preparation and consumption of food or drink should not be allowed in work areas.	
	Key symptoms and effects, both acute and delayed:	Coughing or other difficulty breathing may occur after severe or prolonged inhalation of product dusts. Pain, difficulty breathing, or other symptoms may be felt after long-term exposures. Product dusts may cause cancer via long-term inhalation exposure.	

Release: April 05, 2023 Page 2 of 7



acc. to OSHA HCS (29 CFR 1910.1200)

## **Trade Name: Black Silicon Carbide**

Indication(s) of need for immediate medical help:

Seek immediate medical help if any of the above key symptoms occur. Cancer may lead to fatigue/exhaustion or unintentional changes in body weight: seek immediate medical advice if these symptoms occur.

**5 FIREFIGHTING MEASURES** 

Flash point: N/A UEL: N/A LEL: N/A

**Auto-ignition temperature:** Not applicable to this product.

**Flammability:** Not flammable or combustible. Product will not burn.

Use any suitable media for the environment in which the fire or conflagration

**Extinguishing media:** is taking place. Be mindful of any surrounding flammable/combustible

materials. High volume water jet not preferred due to potential to spread

fire.

**Hazardous** 

decomposition products:

Firefighters and other involved individuals should wear self-contained

**Firefighting instructions:** breathing apparatuses and be aware of any flammable/combustible

substances involved in the fire.

**6 ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protective equipment, and emergency procedures: No special measures required. Per general best practices: wear protective clothing, ensure adequate ventilation, avoid dust formation, use respiratory protective devices when anticipating fumes or dusts, and avoid contact with the eyes and skin where possible. For large spills, take precautions against dust inhalation exposure via respirator or other inhalation protection device.

**Environmental precautions:** 

Prevent from entering drains or water courses. Do not allow to enter soil.

Methods and material for containment and

Sto

Avoid formation of dust. Pick up mechanically. Ensure adequate ventilation. Store in suitable receptables for recovery or disposal. Verify compliance with

local regulations for waste disposal.

See Section 7 for additional information on safe handling.

**Other information:** See Section 8 for additional information on personal protective equipment.

See Section 13 for additional information on disposal.

7 HANDLING AND STORAGE

Precautions for safe

handling:

cleanup:

Prevent dust formation. Any deposit of dust that cannot be prevented should be removed regularly. Do not dry clean dust-covered objects and floors: wash thoroughly with plenty of water. Use only in well-ventilated areas.

Information about protection against

explosions and fires:

No special measures required.

Requirements for storerooms and

Storage should occur in cool, dry, well-ventilated areas.

receptacles:

No special measures required.

Release: April 05, 2023 Page 3 of 7



acc. to OSHA HCS (29 CFR 1910.1200)

### Trade Name: Black Silicon Carbide

Information regarding storage in common storage facility:

Further information about storage conditions:

No additional information available.

### 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Applicable component occupational exposure limits requiring monitoring at the workplace:

**Nuisance Dusts** 

OSHA PEL, TWA (8-hr): 15 mg/m³ (total), 5 mg/m³ (respirable)

California: CAL/OSHA PEL, TWA (8-hr): 10 mg/m³ (total), 5 mg/m³ (respirable)

Silicon Carbide (SiC), CAS# 409-21-2

OSHA PEL, TWA (8-hr): 15 mg/m³ (total), 5 mg/m³ (respirable)

NIOSH REL, TWA (< 10-hr): 10 mg/m³ (total), 5 mg/m³ (respirable)

ACGIH TLV, TWA (8-hr): 10 mg/m³ (total), 3 mg/m³ (respirable)

California: CAL/OSHA PEL, TWA (8-hr): 10 mg/m³ (total), 5 mg/m³ (respirable)

Note: All data based on limits for nonfibrous form with <1% Crystalline silica

Crystalline Silica, Quartz Form (SiO<sub>2</sub>), CAS# 14808-60-7

OSHA PEL, TWA (8-hr): 50 μg/m³ (25 μg/m³ Action Level)

NIOSH REL, TWA (< 10-hr): 0.05 mg/m<sup>3</sup>

ACGIH TLV, TWA (8-hr): 0.025 mg/m<sup>3</sup> (respirable particulate matter)

California: CAL/OSHA PEL, TWA (8-hr): 0.05 mg/m<sup>3</sup>

Note:  $50 \,\mu g/m^3 = .05 \,mg/m^3$ 

Additional limit information: No additional relevant information available at time of document creation.

**Engineering controls:** Ensure good ventilation/exhaustion in the workplace.

**Risk management:** No special measures required.

PERSONAL PROTECTIVE EQUIPMENT

**Breathing equipment:** Use suitable respiratory protective devices when airborne dusts present, i.e.

N95 dust mask.

**Hand protection:** Wear protective gloves to ensure against mechanical hazards.

**Eye protection:** Wear safety glasses or goggles to protect against eye exposure.

**Body protection:** Wear general protective work clothing.

9 PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Solid granulate Color: Grey/Black

Odor: None

Odor threshold: No data available.

pH: No data available.

Melting/Freezing point: 4,532°F (2,500°C)

Release: April 05, 2023 Page 4 of 7



acc. to OSHA HCS (29 CFR 1910.1200)

### Trade Name: Black Silicon Carbide

Initial boiling point: No data available.

**Boiling point range:** No data available.

Flash point: Not applicable.

**Flammability:** Product is not flammable/combustible and will not burn.

Upper explosive limit: Not applicable.

Lower explosive limit: No applicable.

Auto-ignition temperature: Not applicable.

Evaporation rate: Not applicable.

Vapor pressure: Not applicable.

Vapor density: Not applicable.

**Relative density:** 3.00 - 4.00 (water = 1.00, STP)

Water solubility: Insoluble in water.
Partition coefficient: No data available.
Kinematic viscosity: No data available.
Particle characteristics: No data available.

### 10 STABILITY AND REACTIVITY

Thermal decomposition / conditions to be avoided:

No known thermal decomposition effects.

**Hazardous reaction** 

potential:

Reacts with strong oxidizing agents.

**Incompatible materials:** Strong oxidizing agents.

Hazardous

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

decomposition products:

Other Information: No additional information available at time of document authoring.

#### 11 TOXICOLOGICAL INFORMATION

Component LC<sub>50</sub>/LD<sub>50</sub> values relevant for classification: None

**Probable routes of exposure:** Inhalation, accidental ingestion, direct skin/eye contact.

**Effects on skin:** Dusts may cause irritation to susceptible individuals.

**Effects on eye:** Dusts may cause eye irritation similar to other inert detritus.

**Inhalation effects:** Dusts may cause irritation to respiratory tract.

Ingestion of pellets/granules may lead to digestive tract discomfort, or distance is appropriately an appropriate tract discomfort.

distress is consumed in large quantities.

**Sensitization effects:** Dusts may cause a sensitization reaction in susceptible individuals.

Long-term exposure to free respirable crystalline silica has been

Subacute/chronic toxicity:

demonstrated to cause silicosis, cancer, and other respiratory illnesses in

humans.

**Carcinogenicity:** 

NTP Listing Status: Silica dust, crystalline - Listed as a known human carcinogen IARC Listing Status: Silica dust, crystalline - Category 1 (Carcinogenic to humans)

**OSHA Listing Status:** Silica dust, crystalline - Listed as a carcinogen

**Cell mutagenicity:** No data available.

Release: April 05, 2023 Page 5 of 7



acc. to OSHA HCS (29 CFR 1910.1200)

## **Trade Name: Black Silicon Carbide**

**Reproductive effects:** No data available.

12 ECOLOGICAL INFORMATION

Aquatic toxicity: Not considered generally hazardous to aquatic life.

Persistence and degradability:No relevant data available.Results of PBT assessment:No relevant data available.Results of vPvB assessment:No relevant data available.

LogK<sub>ow</sub>, BCF values: No relevant data available.

**Bioaccumulative potential:** Does not accumulate in organisms.

Mobility in soil: No relevant data available.

Other adverse effects: No relevant data available.

**Additional information:** No additional relevant information available at time of document creation.

13 DISPOSAL CONSIDERATION

Do not dispose of product via sewage system or other liquid waste streams.

Waste treatment methods: Product not typically designable as household or general waste. Contact your

local hazardous waste disposal authority to determine necessary steps for

disposal in your locality.

Contaminated packaging should be scrubbed clean prior to disposal if

Contaminated packaging: possible. Else follow all applicable local, state, and federal regulations for

container disposal.

Additional information: Refer to Section 8 for exposure controls, personal protective equipment

14 TRANSPORT INFORMATION

DOT (US)

IMDG/IMO

Not regulated for transport

Not regulated for transport

Not regulated for transport

Not regulated for transport

Mo additional information.

15 REGULATORY INFORMATION

SARA 355 Components: Not listed
SARA 313 Components: Not listed
TSCA listing status: Listed

**Determinations of carcinogenic status:** 

Crystalline silica, quartz form (CAS No. 14808-60-7) is known to the state of

California Prop. 65: California to cause cancer when present as airborne, unbound particles of

respirable size.

**EPA:** No component listed

**IARC:** Silica dust, crystalline - Cat. 1 (Carcinogenic to humans)

**ACGIH:** Silica, crystalline - α-Quartz - Cat. A2 (Suspected human carcinogen

NIOSH: Silica, crystalline quartz, potential occupational carcinogen

Other state right-to-know Minnesota: Crystalline silica, quartz form (CAS No. 14808-60-7)

listings: New Jersey: Crystalline silica, quartz form (CAS No. 14808-60-7)

Information pertaining to Canadian regulations:

Canadian Domestic Substances List: All product components are listed.

Release: April 05, 2023 Page 6 of 7



acc. to OSHA HCS (29 CFR 1910.1200)

## **Trade Name: Black Silicon Carbide**

Other regulations, limitations, and prohibitive regulations:

This product has been classified in accordance with hazard criteria of the Hazardous Products Regulations, SOR/2015-17.

### **16 OTHER INFORMATION**

All information provided is based on GNPGraystar's present knowledge and understanding of this product and any applicable regulations and data. Any information provided does not constitute a guarantee for specific product features nor does it establish a legally valid contractual relationship.

specific product reatures	specific product reacures nor does it establish a legally valid contractual relationship.	
Abbreviations and acror	nyms:	
ACGIH	American Conference of Governmental Industrial Hygienists	
CAS	Chemical Abstracts Service	
DOT (US)	Department of Transportation (United States)	
EPA	Environmental Protection Agency (United States)	
HMIS	Hazardous Materials Identification System (United States)	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG/IMO	International Maritime Dangerous Goods/International Maritime Organization	
NFPA	National Fire Protection Association (United States)	
NIOSH	National Institute for Occupational Safety and Health (United States)	
NTP	National Toxicology Program (United States)	
OSHA	Occupational Safety and Health Administration (United States)	
PEL	Permissible Exposure Limit	
SARA	Superfund Amendment and Reauthorization Act	
TLV	Threshold Limit Value	
TSCA	Toxic Substance Control Act	
TWA	Time-Weighted Average	

**NOTICE:** This safety data sheet complements technical data sheets but does not replace them. The information contained within is based on our present knowledge of the product on the document revision date. All information provided is done so in good faith. Product users should be warned about the risks associated with using the product for a different purpose than that for which it was intended as stated within this safety data sheet and any associated technical data sheets. GNPGraystar does not provide advice or indicate qualification for giving advice for uses outside of stated intended use cases. Statements regarding applicable regulations are provided to help users meet their regulatory obligations when using this product. Statements are not exhaustive of all potential regulatory parameters a user may be bound by and does not exempt users from ensuring their own compliance with applicable regulations regarding handling, use, and storage of the product, for which they are solely responsible.

**Date of Preparation:** April 5, 2023

Release: April 05, 2023 Page 7 of 7